Page 1/10

*

*



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.05.2021

Version number 8 (replaces version 7)

Revision: 05.03.2021

 1.1 Product identifier Trade name: Motip Touch up pencil - Kompakt Article number: M900101 - M900107, M907001 - M907238, M941000 - M946870, M950980, M951000 - M956999, M30000alt, 302480alt - 302497alt, 163791 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU21 Consumer uses: Private households / general public / consumers Product category PC9a Coatings and paints, thinners, paint removers
 Article number: M900101 - M900107, M907001 - M907238, M941000 - M946870, M950980, M951000 - M956999, M30000alt, 302480alt - 302497alt, 163791 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU21 Consumer uses: Private households / general public / consumers Product category PC9a Coatings and paints, thinners, paint removers
 M900101 - M900107, M907001 - M907238, M941000 - M946870, M950980, M951000 - M956999, M30000alt, 302480alt - 302497alt, 163791 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) SU21 Consumer uses: Private households / general public / consumers Product category PC9a Coatings and paints, thinners, paint removers
• Process category PROC10 Roller application or brushing • Application of the substance / the mixture Lacquer
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: MOTIP DUPLI GmbH Kurt Vogelsang Strasse 6 D-74855 Haβmersheim Tel.: +49/6266/75-0 msds@de.motipdupli.com
 Further information obtainable from: Department Product Safety 1.4 Emergency telephone number: Tel.:+49 6266-75-310 Fax +49 6266-75-362 (Mo - Th 08:00 am - 04:00 pm, Fr 08:00 am - 00:30 pm)
SECTION 2: Hazards identification
• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 flame
Flam. Liq. 3 H226 Flammable liquid and vapour.
STOT SE 3 H336 May cause drowsiness or dizziness.
• 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2) GB


Printing date 10.05.2021

Version number 8 (replaces version 7)

Revision: 05.03.2021

GB

Trade name: Motip Touch up pencil - Kompakt



- *PBT*: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 123-86-4	n-butyl acetate	25-<50%
EINECS: 204-658-1 Index number: 607-025-00-1 Reg.nr.: 01-2119485493-29	 Flam. Liq. 3, H226 STOT SE 3, H336 EUH066 	_
CAS: 9004-70-0	cellulose nitrate Flam. Sol. 1, H228	10-<12.5%
EC number: 905-588-0 Index number: 601-022-00-9 Reg.nr.: 01-2119488216-32	xylene Flam. Liq. 3, H226 STOT RE 2, H373; Asp. Tox. 1, H304 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5-<10%
CAS: 108-65-6 EINECS: 203-603-9 Index number: 607-195-00-7 Reg.nr.: 01-2119475791-29	2-methoxy-1-methylethyl acetate Flam. Lig. 3, H226 STOT SE 3, H336	2.5-<5%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43	ethanol	2.5-<5%

Printing date 10.05.2021

Version number 8 (replaces version 7)

Revision: 05.03.2021

Trade name: Motip Touch up pencil - Kompakt

		(Contd. of page 2
CAS: 13463-67-7	titanium dioxide	2.5-<5%
EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17	🗞 Carc. 2, H351	
CAS: 7429-90-5	aluminium powder (stabilised)	<2.5%
EINECS: 231-072-3	🚸 Flam. Sol. 2, H228	
Index number: 013-002-00-1 Reg.nr.: 01-2119529243-45-xxxx		
CAS: 64742-82-1	naphtha (petroleum), hydrodesulphurized heavy	≤ 0.5%
EINECS: 265-185-4	🚸 Flam. Liq. 3, H226	
Index number: 649-330-00-2	💩 STOT RÊ 1, H372; Asp. Tox. 1, H304	
Reg.nr.: 01-2119490979-12	🚯 Aquatic Chronic 1, H410	

· Additional information:

The content of Benzene (EINECS-Nr. 200-753-7) in the ingredients is less than 0,1% (Note P Annex 1A 1272/2008 EU), so the classification as carcinogen need not to apply. xylene: Contains ethylbenzene CAS 100-41-4 For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -

*

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources.
6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

GB

Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.05.2021

Version number 8 (replaces version 7)

Revision: 05.03.2021

Trade name: Motip Touch up pencil - Kompakt

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Use only in well ventilated areas. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 123-86-4 n-butyl acetate
- WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

xylene

WEL Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV

108-65-6 2-methoxy-1-methylethyl acetate

WEL Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm Sk

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

· Ingredients with biological limit values:

xylene

BMGV 650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.

(Contd. on page 5)

GB

Printing date 10.05.2021

Version number 8 (replaces version 7)

Revision: 05.03.2021

Trade name: Motip Touch up pencil - Kompakt

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3

- Hand protection Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.
- · Eye/face protection

Tightly sealed goggles

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: According to product specification · Odour: *Characteristic* · Odour threshold: Not determined. • *Melting point/freezing point:* Undetermined. · Boiling point or initial boiling point and boiling range 78 °C (172.4 °F) · Flammability Not applicable. · Lower and upper explosion limit · Lower: 1.2 Vol % (123-86-4 n-butyl acetate) · Upper: 15 Vol % (9004-70-0 cellulose nitrate) · Flash point: 27 °C (80.6 °F) Not determined. · Decomposition temperature:

 $\cdot pH$

- · Viscosity:
- Kinematic viscosity at 20 °C (68 °F)
- · Dynamic:
- · Solubility
- water:
- Partition coefficient n-octanol/water (log value)
 Vapour pressure at 20 °C (68 °F):
- · Density and/or relative density
- Density at 20 $\bullet C$ (68 $\bullet F$):
- · Relative density
- · Vapour density
- 9.2 Other information
- · Appearance:
- · Form:
- Important information on protection of health and environment, and on safety.
- · Ignition temperature:
- Explosive properties:
- Solvent content:
 Organic solvents:

62.7 %

Fluid

Not determined.

60 s (ISO 4 mm)

Not determined.

Not determined.

Not determined.

Not determined.

180 °C (356 °F)

1 g/cm³ (8.3 lbs/gal)

Not miscible or difficult to mix.

13 hPa (9.8 mm Hg) (123-86-4 n-butyl acetate)

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

(Contd. on page 6)

(Contd. of page 4)

Printing date 10.05.2021

Version number 8 (replaces version 7)

Revision: 05.03.2021

Trade name: Motip Touch up pencil - Kompakt

		(Contd. of page 5)
· VOC (EC)		
	626.6 g/l	
· VOC-EU%	62.66 %	
· Solids content:	35.0 %	
· Change in condition		
· Evaporation rate	Not determined.	
· Information with regard to physical hazard o	lasses	
· Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Flammable liquid and vapour.	
· Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamme	able	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• ••

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

. .

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity ID/IC50

*

$\cdot LD/LC50$	values relev	ant for classification:
123-86-4 r	1-butyl aceto	ate
Oral	LD50	10800 mg/kg (rat) (OECD 401)
Dermal	LD50	>17600 mg/kg (rabbit)
Inhalative	LC50/4 h	>21 mg/m3 (rat)
xylene		
Oral	LD50	3523 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50 / 4 h	29000 mg/m3 (rat)
108-65-62	2-methoxy-1	-methylethyl acetate
Oral	LD50	8530 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
		(Contd. on page

GB

Printing date 10.05.2021

Version number 8 (replaces version 7)

Revision: 05.03.2021

Trade name: Motip Touch up pencil - Kompakt

		(Contd. of page 6)	
Inhalative	LC50/4 h	>10000 mg/m3 (rat)	
64-17-5 eti	hanol		
Oral	LD50	10470 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
Inhalative	LC50/4h	120 mg/l (rat)	
64742-82	1 naphtha (j	petroleum), hydrodesulphurized heavy	
Oral	LD50	>5000 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2000 mg/kg (rab) (OECD 402)	
Inhalative LC50/4 h >8200 mg/m3 (rat)			
		on No irritant effect.	
		ritation No irritating effect.	
· Respirator	y or skin sei	nsitisation No sensitising effects known.	
· STOT-sing	gle exposure	e May cause drowsiness or dizziness.	
· 11.2 Inform	mation on o	ther hazards	
· Endocrine	· Endocrine disrupting properties		
None of the	e ingredient	s is listed.	

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic	toxicity:
1	

xylene	
EC50 / 48 h	7.4 mg/l (daphnia magna)
LC50/96 h	13.5 mg/l (fish)
108-65-6 2-1	nethoxy-1-methylethyl acetate

EC50 / 48 h >500 mg/l (daphnia magna) LC50 / 96 h 100-180 mg/l (oncorhynchus mykiss / Regenbogenforelle)

64-17-5 ethanol

LC50/96h 13000 mg/l (oncorhynchus mykiss / Regenbogenforelle)

EC50 / 48 h 12900 mg/l (algae)

LC50/48 h 12340 mg/l (daphnia magna)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- $\cdot \textit{Additional ecological information:}$
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 8)

Printing date 10.05.2021

Version number 8 (replaces version 7)

Revision: 05.03.2021

Trade name: Motip Touch up pencil - Kompakt

(Contd. of page 7)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation:

*

Disposal must be made according to official regulations. Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN number or ID number ADR, IMDG, IATA	UN1263
14.2 UN proper shipping name ADR IMDG, IATA	1263 PAINT PAINT
14.3 Transport hazard class(es)	
ADR	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	5
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:	Warning: Flammable liquids. 30 F-E,S- <u>E</u>
Stowage Category	A
14.7 Maritime transport in bulk according to IM instruments	<i>Not applicable.</i>
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml
Transport category Tunnel restriction code	Maximum net quantity per outer packaging: 1000 ml 3 D/E
	(Contd. on page

uccoraing to 1907/2000/EC, Articl

Printing date 10.05.2021

Version number 8 (replaces version 7)

Revision: 05.03.2021

Trade name: Motip Touch up pencil - Kompakt

	(Contd. of page 8)
·IMDG	
\cdot Limited quantities (LQ)	5L
$\cdot Excepted$ quantities ($\widetilde{E}Q$)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 1263 PAINT, 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t

· National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

• Other regulations, limitations and prohibitive regulations

- · Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H228 Flammable solid.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

• Abbreviations and acronyms:

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)

[·] Directive 2012/18/EU

Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.05.2021

Version number 8 (replaces version 7)

Revision: 05.03.2021

Trade name: Motip Touch up pencil - Kompakt

	(Contd. of page 9
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Liq. 3: Flammable liquids – Category 3	
Flam. Sol. 1: Flammable solids – Category 1	
Flam. Sol. 2: Flammable solids – Category 2	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Carc. 2: Carcinogenicity – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Asp. Tox. 1: Aspiration hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
* Data compared to the previous version altered.	
······································	